Table 8.Leading Causes of Infant Death by Age at Death South Carolina, 2005
(Residence Data)

Causes of Death (ICD-10 Codes)	Total	Under 1	1-6	7-27	Neonatal	Post-Neonatal
		Day	Days	Days	<28 days)	(28-364days)
Total Infant Deaths	549	204	66	71	341	208
Disorders related to short gestation and low birthweight, NEC (P07)	81	76	3	1	80	1
Congenital malformations, deformations, etc. (Q00-Q99)	79	25	14	10	49	30
Sudden infant death syndrome (R95)	48	-	-	5	5	43
Fetus and newborn affected by maternal complications of pregnancy (P01)	28	28	-	-	28	-
Accidents (V01-X59, Y85-Y86)	28	-	-	4	4	24
Newborn affected by complication of placenta, ect. (P02)	25	23	2	-	25	-
Respiratory distress of newborn (P22)	25	10	10	5	25	-
Bacterial sepsis of newborn (P36)	18	2	5	9	16	2
Necrotizing Enterocolitis of newborn (P77)	18	-	1	12	13	5
Neonatal hemorrhage (P50-P52, P54)	13	2	9	2	13	-
All other causes	186	38	22	23	83	103

Source: SC DHEC: PHSIS-Division of Biostatistics